





Technische
Universität
Braunschweig



$$c_k = \frac{k\left(1 + \frac{z_k}{k}\right) - (k-1)}{\left(1 + \frac{z_k}{k}\right) - \frac{1}{(1 + \frac{z_k}{k})^{k-1}}}$$




Online Algorithms 2022

Sándor P. Fekete



Technische
Universität
Braunschweig



$$c_k = \frac{k\left(1 + \frac{z_k}{k}\right) - (k-1)}{\left(1 + \frac{z_k}{k}\right) - \frac{1}{(1 + \frac{z_k}{k})^{k-1}}}$$




Online Navigation for Robots

Pravesh Agrawal, Aaron Becker, Erik D. Demaine

Sándor P. Fekete

Golnaz Habibi, Rolf Klein, Alexander Kröller, Andreas Nüchter

Seoung Kyou Lee, James McLurkin, Christiane Schmidt



Part 1.2:

Exploring rectilinear polygons


Computational Geometry 43 (2010) 148–168

Contents lists available at ScienceDirect

Computational Geometry: Theory and Applications

www.elsevier.com/locate/comgeo





Polygon exploration with time-discrete vision

Sándor P. Fekete *, Christiane Schmidt¹

Department of Computer Science, Technische Universität Braunschweig, D-38106 Braunschweig, Germany

ARTICLE INFO


Article history:
Received 26 October 2008
Accepted 16 June 2009
Available online 21 June 2009

ABSTRACT

With the advent of autonomous robots with two- and three-dimensional scanning capabilities, classical visibility-based exploration methods from computational geometry have gained in practical importance. However, real-life laser scanning of useful accuracy does not allow the robot to scan continu...




Motivation




- Watchman problem
- Online, continuous vision:
 - optimum watchman route (L_1 -metric) in simple rectilinear polygons (Deng et al.)
 - $c=26.5$ in simple polygons (Hoffmann et al.)
 - No competitive online algorithm for polygons with holes (Albers et al.)

Motivation



- Autonomous robot without continuous vision (scan costs)
- Watchman route
- Online problem
- Several classes of polygons
- Is it possible to achieve a competitive strategy?



Polygons with Holes


Polygons with holes

Proposition:

There is no strategy that achieves a bounded competitive ratio for the watchman problem with scan costs in case of a polygon with holes/obstacles.


This statement holds even if the polygon is rectilinear.

Proof of the proposition




- Show: competitive ratio $\Omega(\sqrt{n})$
- Polygon with obstacles (panpipe)
- Further obstacles: placed depending on the strategy of the robot

Proof of the proposition




- The shape of the inserted objects depends on the path of the robot.




A Competitive Strategy for Simple Rectilinear Polygons

Extensions




- Two subpolygons
- Necessary and essential extensions
- Advantage in rectilinear polygons

A competitive strategy for simple rectilinear polygons




- Problem with niches
- It is necessary to limit the number of scan points

A competitive strategy for simple rectilinear polygons



- Minimum side length a
- Consider the distance to the next corner (reflex vertex): walk beyond the corner if the distance to it is “short”
- Adapt the step length of the robot to the minimal necessary step length
- Move to the projection of a corner and not to the corner itself
- Do not scan on each necessary extension


Order of extensions



- GREEDY-ONLINE algorithm for a robot with continuous vision.
- Based on a proposition of Chin and Ntafos:



Any optimum watchman route in P , a simple rectilinear polygon, will have to visit the essential edges in the order in which they appear on the boundary of P' (the new polygon obtained by removing the “non-essential” portions of the polygon).
- Transfer of this proposition.

GREEDY-ONLINE algorithm




- Taut-Thread-Principle
- Consider the contiguous part of the boundary that was already visible from some point of the route
- Either f is a 270° corner or a corner blocks the sight such as only f^- is visible

A competitive strategy for simple rectilinear polygons




- Extensions of the GREEDY-ONLINE algorithm
- Interval case vs. extension case
- Reaching the extension on an axis-parallel path without a change of direction is possible/impossible
- In all cases of the case differentiation:
 - In case the robot runs beyond the extension: the robot is (is not) able to cover the total planned length
 - Positive line creation vs. negative line creation

Binary search in the strategy



- **If the visible regions (NVRs) are scanable in width (that is, the parts of the boundary which do not overlap with the strategy will be visible by simply passing them with continuous scans) and there is a region which has not yet been completely visible (is given) or**
Discover passed non-visible regions with binary search. NVRs may appear on two sides

Turn adjustments



- The optimum may have the opportunity to turn off before the robot, following the strategy, does.
 - The robot may discover a corridor inside a non-visible region.
- ∅ Adjustments to have the best basic position for the next turn
- Minimum corridor width a_k

The strategy

$a \leq 1$:

A. An axis-parallel move to E is possible without a turn

- $e \geq 2a+1$: interval case

Let d_i be the actual distance to the perpendicular of the next counterclockwise extension

- If $d_i > 2a+1$, move to the perpendicular of the corner
- If $d_i \leq 2a+1$: If $d_i > a$: cover a distance of $2d_i+1$

If $d_i \leq a$: cover a distance of $2a+1$

Apply binary search if necessary, that means, if non-visible regions appear.

- If no corner appears on the counterclockwise side, move directly to E.

In case we run beyond E with a step of length $2d_i+1/2a+1$:

- i. If we do not cover the total distance, because of the boundary: Run as far as possible, go back to E, move back in steps of length 1, apply binary search for NVRs (on the counterclockwise side till E, on both sides beyond E) and if a corridor is identified, use it and make turn adjustments
- ii. If we may cover the total distance:
 - I. negative line creation: Apply binary search, if a corridor is discovered inside a NVR, use it and make turn adjustments.
 - II. Positive line creation: Go back to E, move back in steps of length 1, apply binary search and search for a corridor and the critical extension, make turn adjustments.

- $e < 2a+1$: extension case

Cover a distance of $2e+1$. In case:..(i., ii.)

The strategy

$a \leq 1$:

- A. An axis-parallel move to E is possible without a turn


- $e \geq 2a+1$: interval case
- $e < 2a+1$: extension case

- B. An axis-parallel move to E is not possible without a change of direction: Let b_i be the distance to the sight-blocking corner.


- $e \geq a+1$: interval case
 - No non-visible region up to the sight-blocking corner
 - Along the boundary up to the sight-blocking corner occupied non-visible regions
- $e < a+1$: extension case

$a > 1$:


Similar; with scans every time a distance of a is increased



An example



The competitive ratio of the strategy



a	upper bound for c
1	55.2294
0.8	51.8168
0.7	50.2083
0.5	50.0000
0.1	54.8000
0.01	67.0336
0.0001	93.4919
0.000001	120.0661

- If we assume $a = a_k$:

$$c \leq 8a + 34 + 4 \frac{\ln\left(\frac{2a+3}{a}\right)}{\ln(2)}, \quad 0 \leq a < 0.70043$$

$$c \leq 20a + 24 + 4 \frac{\ln\left(\frac{4a+3}{a}\right)}{\ln(2)}, \quad 0.70043 \leq a \leq 1$$


Computational Geometry 43 (2010) 148–168

Contents lists available at ScienceDirect

Computational Geometry: Theory and Applications

www.elsevier.com/locate/comgeo





Polygon exploration with time-discrete vision

Sándor P. Fekete *, Christiane Schmidt¹

Department of Computer Science, Technische Universität Braunschweig, D-38106 Braunschweig, Germany

ARTICLE INFO

Article history:
Received 26 October 2008
Accepted 16 June 2009
Available online 21 June 2009

ABSTRACT

With the advent of autonomous robots with two- and three-dimensional scanning capabilities, classical visibility-based exploration methods from computational geometry have gained in practical importance. However, real-life laser scanning of useful accuracy does not allow the robot to scan continu...



Part 1.3:

Searching with turn cost



Available online at www.sciencedirect.com



Theoretical Computer Science 361 (2006) 342–355

Theoretical
Computer Science

www.elsevier.com/locate/tcs

Online searching with turn cost


Erik D. Demaine^a, Sándor P. Fekete^{b,*}, Shmuel Gal^c

^aComputer Science and Artificial Intelligence Laboratory, MIT, Cambridge MA, USA

^bDepartment of Mathematical Optimization, Braunschweig University of Technology, Braunschweig, Germany

^cDepartment of Statistics, University of Haifa, Haifa, Israel

Online Searching



Linear Search

GIVEN : A starting position O on a line.

MISSION : Find an object at an unknown location.

UNKNOWN: (1) Direction of the object
(2) Distance OPT of the object

WANTED ! A competitive strategy for the searcher that will guarantee that the object is found in time at most $c \cdot OPT$ for some constant "competitive" factor c .

Literature

BELLMAN 1963: Introduced the problem

BECK and NEWMAN 1970: Solved the problem

GAL 1974: Solved a generalization:

Search on m rays

$$\text{Optimal competitive ratio: } 1 + \frac{2m^m}{(m-1)^{m-1}}$$

Optimal strategy: Geometric series with
ratio $\left(\frac{m}{m-1}\right)$



Literature

KAO

Also known as the cow-path problem

GAL 1980: Optimal trajectory to this type of problem is always a geometric series

BAEZA-YATES, CULBERSON, RAWLINS 1988:
(and various others independently)


Rediscovered problem
and solution

Many variations and applications, in particular
for geometric searching.



Doubling

Keep doubling the search distance before returning:




DISADVANTAGE: There is no real "start" of the trajectory - it's just a geometric series, and each previous step was half as long as the latest one!

Turn Cost

Immediate implications:

- (1) There has to be a first move.
- (2) A competitive factor is no longer possible:



Searching in the wrong direction takes at least one turn, for a cost of d , compared to optimal ϵ .

Fix: Consider $c \cdot OPT + f(d)$
- and possibly $c \cdot OPT + 2 \cdot d$

An Open Problem

132

BOOK I. SEARCH GAMES

It is worth noting that the worst possible outcome of using the search strategy x_3 ($\bar{a} \doteq 3.6$) is a loss of

$$1 + 2 \sum_{j=-\infty}^1 \bar{x}^j \doteq 10.9,$$

while the expected cost of the strategy x_2 , which uses only minimax trajectories ($a = 2$), is $1 + 3/\bar{a} \doteq 5.3$. Thus, use of x_2 yields (the minimal) expected cost of 4.6 but risks a maximal cost of 10.9, while use of x_1 , which yields an expected cost of 5.3, minimizes the maximal cost (which in this case is equal to 9). The expected cost of any search strategy x_α with $2 < \alpha < \bar{a}$ lies between 4.6 and 5.3, while the minimal cost lies between 9 and 10.9. All the strategies x_α with the parameter α lying outside the segment $[2, \bar{a}]$ are dominated by the family $\{x_0: 2 \leq \alpha \leq \bar{a}\}$ with respect to the expected and the maximal cost.

8.4 Search with a Turning Cost

In this section we consider a more realistic version of the LSP, which has not been considered before in the literature. In this model the time spent in changing the direction of moving is not 0, as is usually assumed in the LSP, but a constant $d > 0$. Here, any search trajectory with a finite expected search time must have a first step because starting with an infinite number of oscillations takes infinite time. Therefore, assume for convenience that the search trajectory starts by going to $x_0 > 0$, then turning and going to $-x_0$, then turning and going to x_2 , etc. (We can obviously assume that the searcher always goes with his maximal speed, 1, as is always the case with an immobile hider.) Thus

$$\mathcal{S} = \{x_i\}_{i=0}^\infty,$$

and denote

$$y_i = x_i + \frac{d}{2}, \quad i = 1, 2, \dots$$

In this case the normalized cost function (in the worst case) is not bounded near 0. Thus the reasonable cost function is the time to reach the target, $C(\mathcal{S}, H)$, under the restriction $E|H| \leq \lambda$. For convenience we assume $\lambda = 1$. Thus we are interested in

$$\tilde{V} = \inf_{\mathcal{S}} \sup_{h: E|H| \leq 1} c(\mathcal{S}, h).$$

We shall show that

$$9 + d \leq \tilde{V} \leq 9 + 2d. \quad (8.13)$$

The left inequality follows from equality (8.7), which implies that for any \mathcal{S} and any δ , there always exist an x_i , as large as desired, with

$$\frac{2 \sum_{j=0}^{i+1} y_j + x_i}{x_i} \sim \frac{2 \sum_{j=0}^{i+1} y_j + y_i}{y_i} > 9 - \delta.$$

CHAPTER 8. SEARCH ON THE INFINITE LINE

133

Thus, if the hider chooses h as

$$H = \begin{cases} -x & \text{with probability } 1 - \frac{1}{x_i} \\ x_i + \varepsilon & \text{with probability } \frac{1}{x_i} \end{cases} \quad \text{and}$$

then $E|H| \approx 1$ and, for a large enough x_i

$$c(\mathcal{S}, h) \approx (2x_0 + d + \varepsilon) \left(1 - \frac{1}{x_i}\right) + \left(2 \sum_{j=0}^{i+1} y_j + x_i\right) \frac{1}{x_i} \geq 9 - \delta + d$$

with $\delta > 0$ arbitrarily small.

In order to prove the right inequality of (8.13) we present a trajectory \mathcal{S} that satisfies for all $x_j < |H| \leq x_{i+2}$:

$$C(\mathcal{S}, H) \leq 9x_i + 2d \leq 9|H| + 2d$$

so that for any h with $E|H| \leq 1$

$$c(\mathcal{S}, h) \leq 9 + 2d.$$

We use the following approach. For any real y , a sufficient condition for $v(\mathcal{S}) \leq 9 + y$ is the condition

$$\text{for all } |H| = x_i (+\varepsilon): \quad C(\mathcal{S}, H) \leq 9x_i + y (+\varepsilon),$$

which will hold if the following conditions hold:

$$2 \sum_0^{i+1} y_j = 8 \left(y_i - \frac{d}{2}\right) + y, \quad i = 0, 1, \dots \quad (8.14)$$

$$2y_0 = y, \quad (y > d/2)$$

$$y_i \geq d/2, \quad i = 0, 1, \dots$$

Equality (8.14) is equivalent to (denoting $\frac{y}{2} = b + 2d$)

$$y_{i+1} = 3y_i - \sum_{j=0}^{i-1} y_j + b, \quad i = 0, 1, \dots \quad (8.15)$$

$$y_0 = b + 2d \left(= \frac{y}{2}\right)$$

$$y_i > d/2, \quad i = 0, 1, \dots$$

We now look for the minimal b which satisfies (8.15). It turns out that the general solution of (8.15) is

$$y_i = (y_0 + i\beta)2^i, \quad (8.16)$$

An Open Problem

134

BOOK I. SEARCH GAMES

where $\beta \geq 0$ is a nonnegative parameter. (Because by (8.15) $y_{i+1} - y_i = 3y_i - 4y_{i-1}$, denoting $y_i = 2^i \alpha_i$ it easily follows that $\alpha_{i+1} - \alpha_i = \alpha_i - \alpha_{i-1}$, which leads to (8.16).)

Using (8.16) for $i = 0, 1$ in (8.15) it follows that $\beta = y_0 - d$. Since $\beta \geq 0$ and $\gamma = 2y_0$, it easily follows that $\gamma \geq 2d$. On the other hand, the value $9 + 2d$ can be achieved by the following trajectory

$$y_i = d2^i, \quad x_i = d2^i - d/2, \quad i = 0, 1, \dots$$

with the time to reach $x_i + \varepsilon$ being (neglecting $O(\varepsilon)$)

$$2 \sum_0^{i+1} y_i + x_i = 2d(2^{i+2} - 1) + d2^i - d/2 = 9x_i + 2d.$$

Since $E|H| \leq 1$, the last equation guarantees expected time not exceeding $9 + 2d$.

Is $9 + 2d$ the best possible constant? This is still an open problem. (Note that (8.14) is a sufficient but not a necessary condition.)

Positions


The factor c can be at best 9!
(\rightarrow Consider d arbitrarily small compared to OPT.)

Suppose the searcher moves

x_1 to the right and returns,

x_2 to the left and returns,

x_3 to the right
(etc.)



Critical positions for hiding:

$$y_0 = -\varepsilon$$

$$y_1 = x_1 + \varepsilon$$

$$y_2 = -x_2 - \varepsilon$$


$$y_3 = x_3 + \varepsilon$$

(etc.)



MORE CONDITIONS

y_0 must be reached in time:



$$2x_1 + d + \varepsilon \leq q\varepsilon + \lambda d$$

y_1 must be reached in time:

$$2x_1 + 2x_2 + 2d + \varepsilon \leq q(x_1 + \varepsilon) + \lambda d$$

y_2 :

$$2x_1 + 2x_2 + 2x_3 + 3d + \varepsilon \leq q(x_2 + \varepsilon) + \lambda d$$

y_n :

$$2x_1 + \dots + 2x_{n-1} + (n-1)d \leq 8x_n + \lambda d$$

This must hold for all $\varepsilon > 0$, so we get



An Infinite LP

$$\begin{array}{ll} \min & \lambda \\ & \downarrow \\ 2x_1 & + d \leq 2d \\ 2x_1 + 2x_2 & + 2d \leq 8x_1 + 2d \\ 2x_1 + 2x_2 + 2x_3 & + 3d \leq 8x_2 + 3d \\ \vdots & \vdots \quad \vdots \\ 2x_1 + 2x_2 + 2x_3 + 2x_{n+1} & +(n+1)d \leq 8x_n + nd \\ \vdots & \vdots \quad \vdots \quad \vdots \\ & x_i \geq 0 \end{array}$$

- (1) Infinite primal optimal solution describes optimal strategy of searcher.
- (2) Optimal λ is tight value of turn cost penalty.
- (3) Infinite dual optimal solution gives explicit proof of tightness.

Solving the Infinite LP

SOLVING SUBSYSTEMS

Only using the first n constraints yields a relaxation, with solutions $x_i^{(n)}$ and λ_n . Each λ_n is a lower bound for λ .

Approach:

- (1) Run CPLEX on subsystems
- (2) Consider convergence of solutions
- (3) Construct infinite solution
- (4) Verify solution

Solutions

$$\begin{array}{ccccccccc}
 n & \lambda_n & x_1^{(n)} & x_2^{(n)} & x_3^{(n)} & x_4^{(n)} & c_1^{(n)} & c_2^{(n)} & c_3^{(n)} & c_4^{(n)} \\
 \hline
 1 & 1.0000 & 0.2000 & & & & 1.0000 & & &
 \end{array}$$

Table 1
Solutions for a number of linear subsystems

n	λ_n	$x_1^{(n)}$	$x_2^{(n)}$	$x_3^{(n)}$	$x_4^{(n)}$	$x_5^{(n)}$	
1	1.0000	0.0000					
2	1.2500	0.1250	0.0000				
3	1.4166	0.2083	0.3333	0.0000			
4	1.5312	0.2656	0.5625	0.6875	0.0000		
5	1.6125	0.3062	0.7250	1.1750	1.3000	0.0000	
6	1.6718	0.3359	0.8437	1.5312	2.2500	2.3750	
7	1.7165	0.3582	0.9330	1.7991	2.9642	4.1607	
8	1.7509	0.3754	1.0019	2.0058	3.5156	5.5930	
9	1.7782	0.3891	1.0563	2.1692	3.9130	6.6284	
n	λ_n	$y_1^{(n)}$	$y_2^{(n)}$	$y_3^{(n)}$	$y_4^{(n)}$	$y_5^{(n)}$	
1	1.0000						
2	1.2500	0.7500	0.2500				
3	1.4166	0.6666	0.2500	0.0833			
4	1.5312	0.0625	0.2500	0.0937	0.0312		
5	1.6125	0.6000	0.2500	0.1000	0.0375	0.0125	
6	1.6718	0.5833	0.2500	0.1041	0.0416	0.0156	
7	1.7165	0.5714	0.2500	0.1071	0.0446	0.0178	
8	1.7509	0.5625	0.2500	0.1093	0.0468	0.0195	
9	1.7782	0.5555	0.2500	0.1111	0.0486	0.0208	
10	1.8001	0.5500	0.2500	0.1125	0.0500	0.0218	
20	1.9000	0.5250	0.2500	0.1187	0.0562	0.0265	
30	1.9333	0.5166	0.2500	0.1208	0.0583	0.0281	
40	1.9500	0.5125	0.2500	0.1218	0.0593	0.0289	
50	1.9600	0.5100	0.2500	0.1225	0.0600	0.0293	
100	1.9800	0.5050	0.2500	0.1237	0.0612	0.0303	
200	1.9900	0.5025	0.2500	0.1243	0.0618	0.0307	
400	1.9950	0.5012	0.2500	0.1245	0.0621	0.0310	

Verifying the Solution

$$\text{Choose: } x_i = \left(2^i - \frac{1}{2}\right)d$$
$$c_i = \frac{1}{2^i}$$

Check primal solution, i.e. search strategy:

Inequality n yields

$$\sum_{i=1}^{n+1} z(x_i) - 8x_n + (n+1)d \leq 2d$$

or $\sum_{i=1}^{n+1} z\left(2^i - \frac{1}{2}\right)d - 8\left(2^{n-1} - \frac{1}{2}\right)d + (n+1)d \leq 2d$

or $2^{n+2} - 2 - 2^{n+2} + 4 \leq 2$

or $2 \leq 2$

So we have a feasible solution with $\lambda = 2$.

Verifying the Dual

$$\begin{array}{ll}
 \min \lambda & \downarrow \\
 2x_1 & +d \leq 2d \\
 2x_1 + 2x_2 & +2d \leq 8x_1 + 2d \\
 2x_1 + 2x_2 + 2x_3 & +3d \leq 8x_2 + 2d \\
 \vdots & \vdots \\
 2x_1 + 2x_2 + 2x_3 + \dots + 2x_n & +(n+1)d \leq 8x_n + 2d \\
 \vdots & \vdots \\
 x_i \geq 0 & \vdots
 \end{array}$$

Consider infinite linear combination of
with the dual multipliers:

The resulting coefficient of x_n is

$$\sum_{i=n}^{\infty} \frac{2}{2^i} - \frac{8}{2^{n+1}} = 0$$

The resulting coefficient of $2d$ is

$$\sum_{i=1}^{\infty} \frac{1}{2^i} = 1$$

This leaves the inequality

$$\sum_{i=1}^{\infty} i \left(\frac{1}{2}\right)^i d \leq 2d$$

Using $\sum_{i=1}^{\infty} i x^i = \frac{x}{(1-x)^2}$, this implies

$$2 \leq 2$$

so we have an explicit lower bound.



More General Problem

Cow-Path PROBLEM WITH TURN COST

SCENARIO: m rays from the origin.

Turn cost on a ray : d_1

Turn cost at the origin : d_2

Total turn cost for changing
from one ray to another : $d = d_1 + d_2$

KNOWN : Asymptotic competitive ratio for $d=0$ is

$$1 + \frac{2m^m}{(m-1)^{m-1}} =: 1 + M$$



Constraints

REWRITE CONSTRAINTS:

$$2 \sum_{i=1}^{n+m-1} x_i + (n+m-1) d \leq Mx_n + \lambda d$$

- AGAIN:
- Infinite LP for determining λ
 - Run experiments for fixed m



Solving the Problem

SOLUTION OF THE PROBLEM

Here described : $m = 3$

$$\lambda_{1000} = 3.743996$$

$$x_1^{(1000)} = 0.2492495$$

$$x_2^{(1000)} = 0.6227485$$

$$x_3^{(1000)} = 1.182434$$

$$x_4^{(1000)} = 2.021118$$

$$x_5^{(1000)} = 3.277878$$

After adjusting for logarithmic convergence:

$$\begin{aligned}\lambda &= 3.75 &= \frac{15}{4} \\ x_1 &= 0.25 &= \frac{1}{4} \\ x_2 &= 0.625 &= \frac{5}{8}\end{aligned}\}$$

educated guesses

Assuming all constraints are tight, we get a recursion for x_n , yielding:

$$x_3 = \frac{19}{16} = 1.1875 \quad \checkmark$$

$$x_4 = \frac{65}{32} \approx 2.03125 \quad \checkmark$$

$$x_5 = \frac{211}{64} \approx 3.296875 \quad \checkmark$$

Solution II

SOLUTION FOR $m=3$ (Cont.)

Using the structure of the recursion, we conclude

$$x_n = \frac{d}{z} \left(\left(\frac{3}{2}\right)^n - 1 \right)$$

Not hard to check:

Together with $\lambda = \frac{15}{4}$, this satisfies all constraints with equality.

Dual Variables

$$c_2^{(1000)} = 0.445339$$

$$c_3^{(1000)} = 0.1481481$$

$$c_4^{(1000)} = 0.1481481$$

$$c_5^{(1000)} = 0.08217275$$

$$c_6^{(1000)} \approx 0.06022488$$

$$c_7^{(1000)} = 0.038277$$

$$c_8^{(1000)} = 0.02610326$$

Using (*) , we get the recursive condition

$$c_n = \frac{27}{4} (c_{n+2} - c_{n+3})$$

or $c_{n+3} = \frac{27}{4} c_{n+2} - c_n$.

Some values:

$$c_5 = \frac{60}{3^6} = 0.0823045 \quad \checkmark$$

$$c_6 = \frac{132}{3^7} = 0.0603566 \quad \checkmark$$

$$c_7 = \frac{252}{3^8} = 0.0384087 \quad \checkmark$$

$$c_8 = \frac{516}{3^9} = 0.0262155 \quad \checkmark$$



Dual Routing

Explicit formula after solving recursion:

$$c_j = \frac{2^{j+1} + (-1)^j 4}{3^{j+1}}$$



Dual Routing

VERIFYING THE DUAL

Consider the infinite linear combination of all constraints, using the computed c_j .

- By assumption, we have

$$\sum_{i=2}^{\infty} c_i = 1$$

so the coefficient of x_0 is 1.

- By recursion, all coefficients of x_n cancel.

Dual Routing

$$\begin{aligned}\sum_{j=m-1}^{\infty} jy_j &= \sum_{j=m-1}^{2m-2} jy_j + \sum_{j=2m-1}^{\infty} jy_j \\&= \sum_{j=m-1}^{2m-2} jy_j + \sum_{j=m-1}^{\infty} (j+m)y_{j+m} \\&= \sum_{j=m-1}^{2m-2} jy_j + \sum_{j=m-1}^{\infty} (j+m) \left(y_{j+m-1} - \frac{1}{M} y_j \right) \\&= (2m-2)y_{2m-2} + \sum_{j=m-1}^{2m-3} jy_j + \sum_{j=m-1}^{\infty} (j+m-1)y_{j+m-1} \\&\quad + \sum_{j=m-1}^{\infty} y_{j+m-1} - \sum_{j=m-1}^{\infty} \frac{1}{M} jy_j - \sum_{j=m-1}^{\infty} \frac{m}{M} y_j \\&= \frac{2m-2}{M} + \sum_{j=m-1}^{\infty} jy_j + \left(1 - \sum_{j=m-1}^{2m-3} y_j \right) - \sum_{j=m-1}^{\infty} \frac{1}{M} jy_j - \frac{m}{M},\end{aligned}$$

hence

$$\sum_{j=m-1}^{\infty} jy_j = 2m-2 + (M-m-(m-2)) - m = M-m,$$

as claimed. \square



Available online at www.sciencedirect.com



Theoretical Computer Science 361 (2006) 342–355

Theoretical
Computer Science

www.elsevier.com/locate/tcs

Online searching with turn cost

Erik D. Demaine^a, Sándor P. Fekete^{b,*}, Shmuel Gal^c

^aComputer Science and Artificial Intelligence Laboratory, MIT, Cambridge MA, USA

^bDepartment of Mathematical Optimization, Braunschweig University of Technology, Braunschweig, Germany


^cDepartment of Statistics, University of Haifa, Haifa, Israel

Part 2: Several Robots

Asymptotics

c

d




$a=40$


SUCCESS! $c=2.0016$



Collective Tree Exploration



Tree Exploration



Given:


Unknown tree T, root r
k robots, initially located at r

Task:

Explore T and return to origin


Objective:

Minimize maximum workload




Previous Work

$$\frac{ALG}{OPT} = \frac{6}{4} = \frac{3}{2}$$



Dynia et al. (2006):


- Lower bound of $3/2$ on competitive factor
- An appropriate greedy algorithm achieves competitive factor of 8



A New Strategy for General Trees

- Lower bounds on actual OPT:
 - Known MAX distance
 - AVG of known total distance
- Strategy MAX+AVG:
 - Choose some c .
 - Robots take turns, one at a time.
 - Keep track of MAX and AVG.
 - Travel c times lower bound.
- Factor c is achievable, if we can keep going - so if we can travel arbitrarily far.
- Observations:
 - Duplicated distance DUP is bounded by MAX.
 - In worst case, $\text{MAX}=\text{AVG}=\text{DUP}$.
 - This yields a recursion for distances traveled.

$c=2.3?$



A New Strategy for General Trees

¹ Online Balanced Tree Exploration

² Pravesh Agrawal 

³ Department of CSE, IIT Bombay, Mumbai, India

⁴ Sándor P. Fekete  

⁵ Department of Computer Science, TU Braunschweig, Braunschweig, Germany

⁶ —— Abstract ——

⁷ We study *Online Balanced Tree Exploration*, a class of online optimization problems that can be seen
⁸ as natural generalizations of both online exploration and machine scheduling: Given an unknown
⁹ weighted tree $T = (V, E)$ with a distinguished root node r , and a set of $k \geq 2$ identical robots at r ,
¹⁰ the task is to have all vertices of the tree be visited by some robot and have all robots return to r ,
¹¹ such that the largest distance traveled by any robot is minimized. Online Balanced Tree Exploration
¹² has been considered before; the best previously known competitive method uses a doubling strategy
¹³ and yields a factor of 8.

¹⁴ We develop c -GAME, a strategy that proceeds greedily while keeping track of tree depth
¹⁵ and average load, and show that it yields a c -competitive strategy for any k and any $c \geq \gamma =$
¹⁶ $3.146193220582\dots$, which is tight. Here $\gamma = -W_{-1}(-\frac{1}{e^2})$, where W_{-1} is the lower branch of
¹⁷ Lambert's W -function, which is also known as the product logarithm. We also provide a tight
¹⁸ characterization of the critical competitive factors γ_k for any specific $k \geq 3$; in particular, we establish
¹⁹ $\gamma_3 = 2.27883\dots$, $\gamma_4 = 2.49221\dots$, $\gamma_{18} = 2.99961\dots$, implying that 3-GAME is 3-competitive for all
²⁰ $k \leq 18$.

²¹ **2012 ACM Subject Classification** Theory of computation → Online algorithms; Computing methodologies → Planning and scheduling


²³ **Keywords and phrases** Online search, group exploration, balanced allocation, competitive analysis

²⁴ **Digital Object Identifier** 10.4230/LIPIcs.ISAAC.2022.118

A Useful Lemma

► **Lemma 3.** For analyzing the worst case for strategy c -GAME with $k > c > 2$, it suffices to consider

1. $\delta_i^{(j)} = \text{MAX}_{i-1}^{(j)} - \varepsilon_i^{(j)}$ with $\varepsilon_i^{(j)} > 0$ arbitrarily small for all i, j after $i = 1, j = 1$.
2. $\text{MAX}_i^{(j)} = \text{AVG}_i^{(j)}$ for all i and all $j \geq 2$.



Recursion

D_i : total distance traveled by a robot after iteration i

d_i : new distance traveled by a robot in iteration i

New

$$d_i + D_{i-k} + \frac{D_{i-1}}{c} = c \left(\underbrace{\frac{D_{i-1}}{c}}_{\text{old average}} + \underbrace{\frac{d_i}{k}}_{\text{added to average}} \right)$$

new old total duplicated old average added to average

Rearrange

$$D_i = \left(\frac{k-1}{k-c} \right) D_{i-1} - \left(\frac{c}{k-c} \right) D_{i-k}$$



Analysis

► **Lemma 1.** For any fixed k , Strategy MAX+AVG is c_k -competitive, where c_k satisfies $c_k = \frac{kx_k^k - (k-1)x_k^{k-1}}{x_k^k - 1}$, with $x_k > 1$ being a zero of the function $f(x) = (k-1)x^k - k^2x + k^2 - 2k + 1$.

$$x_k^k - \frac{k-1}{(k-c_k)}x_k^{k-1} + \frac{c_k}{k-c_k} = 0$$

$$x_k^{k-1} = \frac{c_k}{c_k-1}$$

$$x_k > 1$$

$$\left(1 + \frac{1}{c_k - 1}\right)^{\frac{1}{k-1}} = 1.$$

Analysis

► **Lemma 1.** For any fixed k , Strategy MAX+AVG is c_k -competitive, where c_k satisfies $c_k = \frac{kx_k^k - (k-1)x_k^{k-1}}{x_k^k - 1}$, with $x_k > 1$ being a zero of the function $f(x) = (k-1)x^k - k^2x + k^2 - 2k + 1$.

$$x_k^k - \frac{k-1}{(k-c_k)}x_k^{k-1} + \frac{c_k}{k-c_k} = 0$$

$$(k-c_k)x_k^k - (k-1)x_k^{k-1} + c_k = 0$$

$$c_k = \frac{kx_k^k - (k-1)x_k^{k-1}}{x_k^k - 1}.$$

Derivative

$$\frac{x_k^{k-2} ((k-1)x_k^k - k^2x_k + k^2 - 2k + 1)}{(x_k^k - 1)^2}$$



Analysis

► **Lemma 1.** For any fixed k , Strategy MAX+AVG is c_k -competitive, where c_k satisfies $c_k = \frac{kx_k^k - (k-1)x_k^{k-1}}{x_k^k - 1}$, with $x_k > 1$ being a zero of the function $f(x) = (k-1)x^k - k^2x + k^2 - 2k + 1$.

k	c_k
2	
3	
4	
5	
6	
7	
8	
9	
10	
20	
40	
100	
1,000	
10,000	
100,000	
1,000,000	

► **Theorem 2.** Strategy MAX+AVG is c_k -competitive, for the values shown in Table 1. Moreover, these values are tight.

Analysis

$$x_k = \left(1 + \frac{z_k}{k}\right)$$

$$c_k = \frac{kx_k^k - (k-1)x_k^{k-1}}{x_k^k - 1}$$

$$c_k = \frac{k\left(1 + \frac{z_k}{k}\right) - (k-1)}{\left(1 + \frac{z_k}{k}\right) - \frac{1}{\left(1 + \frac{z_k}{k}\right)^{k-1}}} = \frac{1 + z_k}{\left(1 + \frac{z_k}{k}\right) - \frac{1}{\left(1 + \frac{z_k}{k}\right)^{k-1}}}$$

Analysis

$$c_k = \frac{k(1 + \frac{z_k}{k}) - (k - 1)}{(1 + \frac{z_k}{k}) - \frac{1}{(1 + \frac{z_k}{k})^{k-1}}} = \frac{1 + z_k}{(1 + \frac{z_k}{k}) - \frac{1}{(1 + \frac{z_k}{k})^{k-1}}}$$

$$\lim_{k \rightarrow \infty} \frac{1 + z_k}{(1 + \frac{z_k}{k}) - \frac{1}{(1 + \frac{z_k}{k})^{k-1}}} = \frac{1 + z}{1 - e^{-z}}$$

Derivative

$$\frac{e^z(-z + e^z - 2)}{(e^z - 1)^2}$$

Zero of

$$e^z = z + 2$$

$$c = W_{-1}(-\frac{1}{e^2}) = 3.146193220582\dots$$



Analysis

- **Theorem 3.** Algorithm MAX+AVG is c -competitive for all k , where c is the solution of the equation $e^c = c + 2$. This is the value $W_{-1}(-\frac{1}{e^2}) = 3.146193220582\dots$, where W_{-1} is the lower branch of Lambert's W-function. Moreover, this is tight: For any $c' < c$, MAX+AVG is not c' -competitive for large enough k .

$$\frac{e^z(-z + e^z - 2)}{(e^z - 1)^2}$$

$$e^z = z + 2$$

$$c = W_{-1}\left(-\frac{1}{e^2}\right) = 3.146193220582\dots$$

Part 3: Robot Swarms

Part 3.1:

Online Triangulation

Video!

Triangulating Unknown Environments using Robot Swarms

conference

S.P. Fekete, [A. Kröller](#), L.S. Kyou, [J. McLurkin](#), [C. Schmidt](#):

Triangulating Unknown Environments Using Robot Swarms,

Video and abstract. In: Proceedings of the 29th Annual ACM Symposium on Computational Geometry (SoCG 2013), 345-346.

James McLurkin
SeoungKyou Lee



Alexander Kröller
Christiane Schmidt




Technische
Universität
Braunschweig

| Sándor P. Fekete | Online Robot Navigation | Online Algorithms 2022


Part 3.2: Local Routing

Dual Routing



Note: The dual graph is stored implicitly in *primal* vertices!

Dual Routing



conference

S. K. Lee, A. Becker, S.P. Fekete, A. Kröller, [J. McLurkin](#):


Exploration via Structured Triangulation by a Multi-Robot System with Bearing-Only Low-Resolution Sensors,

NEW To appear in: [2014 IEEE International Conference on Robotics and Automation \(ICRA 2014\)](#)

in \mathcal{R} that are separated by at least one triangle, i.e., the triangles Δ_s, Δ_g in \mathcal{T} that contain s and g do not share a vertex. Let $p(s, g)$ be a shortest polygonal path in \mathcal{R} that connects s with g , and let $d_p(s, g)$ be its length. Let $p_{\mathcal{T}}(s, g)$ be a \mathcal{T} -greedy path between s and g , of length $d_{p_{\mathcal{T}}}(s, g)$. Then $d_{p_{\mathcal{T}}}(s, g) \leq c \cdot d_p(s, g) + 2$, for $c = \lfloor \frac{2\pi}{\alpha} \rfloor \frac{\rho}{\sin(\alpha/2)}$, and $d_{p_{\mathcal{T}}}(s, g) \leq c' \cdot d_p(s, g)$, for $c' = \lfloor \frac{6\pi}{\alpha} \rfloor \frac{\rho}{\sin(\alpha/2)}$.



Part 3.3: Local Patrolling Policies

Time Stamps in the Dual Graph



Numbers: Time of last visit

Least Recently Visited







Least Recently Visited (LRV):
Move to vertex with oldest time stamp

Good news: LRV achieves full coverage.

Bad news: The coverage time of LRV can be exponentially large.

LRV: Experimental Results



Part 4: Controlling Massive Particle Swarms

Moving Small Objects



Tetrahymena pyriformis

This Part

- Massive particle swarms



conference

A. Becker, [E.D. Demaine](#), S.P. Fekete, [G. Habibi](#), [J. McLurkin](#):

Reconfiguring Massive Particle Swarms with Limited, Global Control,

NEW In: ALGOSENSORS 2013, pp. 51-66, Springer LNCS 8343, 2014.

- We establish positive results for

conference

A. Becker, [E.D. Demaine](#), S.P. Fekete, [J. McLurkin](#):

Particle Computation: Controlling Robot Swarms with only Global Signals,




NEW To appear in: [2014 IEEE International Conference on Robotics and Automation \(ICRA 2014\)](#)

combining theory and practice

Part 4.1: Why Obstacles Are a Nuisance

Obstacles as Opponents

- Targets may not be easy to reach.
- Motion planning gets quite tricky in parallel.



Cottonwood leaf vascular network

Complexity: Binary Variables

Choice: left or right?
Independent choices?!




x_2

x_3

x_4


Choice only matters when it is a variable's “turn”!

Complexity: Binary Variables




Minor detail: Avoid reversible choices!

Complexity: Clauses




Complexity: Truth Checking



Complexity: Overall Construction

$$(\neg x_1 \vee \neg x_3 \vee x_4) \wedge (\neg x_2 \vee \neg x_3 \vee x_4) \wedge (\neg x_1 \vee x_2 \vee x_4) \wedge (x_1 \vee \neg x_2 \vee x_3)$$
$$x_1 = 1, x_2 = 0, x_3 = 0, x_4 = 1$$




Complexity: Summary

Theorem 1. GLOBALCONTROL-MANYPARTICLES *is NP-hard: given an initial configuration of movable particles and fixed obstacles, it is NP-hard to decide whether any particle can be moved to a specified location.*



Part 4.2: Why Obstacles Are a Blessing

Life without Obstacles


Lack of obstacles can be harmful!




How Obstacles Can Be Helpful






More Obstacle Action!



More Obstacle Action!




Multiple Permutations





Multiple Permutations


Theorem 3. For any set of k fixed, but arbitrary, permutations of $n \times n$ pixels, we can construct a set of $O(kN)$ obstacles, such that we can switch from a start arrangement into any of the k permutations using at most $O(\log k)$ force-field moves.



Designing Obstacles



CW: (12)




CCW: (123456789)


Designing Obstacles

Lemma 5. Any permutation of N objects can be generated by the two base permutations $p = (12)$ and $q = (12 \cdots N)$. Moreover, any permutation can be generated by a sequence of length at most N^2 that consists of p and q .

Theorem 6. We can construct a set of $O(N)$ obstacles such that any $n \times n$ arrangement of N pixels can be rearranged into any other $n \times n$ arrangement π of the same pixels, using at most $O(N^2)$ force-field moves.



CW: (12)



CCW: (123456789)

Designing Obstacles

Lemma 7. Any permutation of N objects can be generated by the N base permutations $p_1 = (12), p_2 = (13), \dots, p_{N-1} = (1(N-1))$ and $q = (12 \cdots N)$. Moreover, any permutation can be generated by a sequence of length at most N that consists of the p_i and q .

Theorem 8. We can construct a set of $O(N^2)$ obstacles such that any $n \times n$ arrangement of N pixels can be rearranged into any other $n \times n$ arrangement π of the same pixels, using at most $O(N \log N)$ force-field moves.

Theorem 9. Suppose we have a set of obstacles such that any permutation of an $n \times n$ arrangement of pixels can be achieved by at most M force-field moves. Then M is at least $\Omega(N \log N)$.

Proof. Each permutation must be achieved by a sequence of force-field moves. Because each decision for a force-field move $\{u, d, l, r\}$ partitions the remaining set of possible permutations into at most four different subsets, we need at least $\Omega(\log(N!)) = \Omega(N \log N)$ such moves. \square

More on Complexity!

THE COMPLEXITY OF FINDING MINIMUM-LENGTH GENERATOR SEQUENCES

Mark R. JERRUM

*Department of Computer Science, University of Edinburgh, Edinburgh EH9 3JZ,
Scotland (United Kingdom)*

Communicated by M.S. Paterson

Received July 1983


Revised May 1984

Abstract. The computational complexity of the following problem is investigated: Given a permutation group specified as a set of generators, and a single target permutation which is a member of the group, what is the shortest expression for the target permutation in terms of the generators? The general problem is demonstrated to be PSPACE-complete and, indeed, is shown to remain so even when the generator set is restricted to contain only two permutations. The restriction on generator set cardinality is the best possible, as the problem becomes soluble in polynomial time if the generator set contains only one permutation. An interesting feature of this problem is that it does not fall under the headings of 'two person games' or 'formal languages' which cover the great majority of known PSPACE-complete problems. Some restricted versions of the problem.




Part 4.3: A Real-World Demo!


Demo with Real Objects



Demo with Real Objects



Demo II



Conclusions

- More work in theory and practice!

Thank you!

